

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	66	("Toolbook")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 10:45
S2	66	("ToolBook")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 11:42
S3	2191	(345/419).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/29 11:43
S4	839	(345/420).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/29 11:42
S5	1	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 11:58
S7	13	(animation near author)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 11:58
S8	0	S2 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 11:58
S9	31	(author) and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 11:59
S10	26	(animation) and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 12:27
S11	1	S2 and ((start\$4 and end\$3) with (point or poisit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/29 12:28
S12	7	S2 and (path near animat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 12:26

S15	1119	(345/473).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/30 12:40
S19	83	(path adj animation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 13:07
S20	13979	((start\$4 and end\$2) adj position)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 13:08
S21	3	S19 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 13:09
S22	7	S19 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 14:19
S23	16	(animation or "toolbook") with ((standardized near generalized near markup near language) or ("SGML"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 14:46
S24	33	(animation or "toolbook") same ((standardized near generalized near markup near language) or ("SGML"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 14:20
S25	0	("toolbook") and (orientation with (animat\$4 near path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 14:48
S26	0	("toolbook") and ((adaption or arrang\$4 or alter\$4 or orient\$4 or adjust\$5) with (animat\$4 near path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 14:49
S27	13	((adaption or arrang\$4 or alter\$4 or orient\$4 or adjustm\$5) with (animat\$4 near path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 15:40
S30	3	((animation adj path) same (sampling with point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 15:43

S31	27	((adaption or arrang\$4 or alter\$4 or orient\$4 or adjustm\$5) same (animat\$4 near path))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 15:44
S32	14	S31 not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 15:40
S33	1	((animation adj path) same (sampling adj point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 15:43
S34	1	((animation adj path) and (sampling adj point))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:34
S35	24	((chang\$4 or arrang\$4 or alter\$4 or orient\$4 or adjustm\$5) same (animat\$4 near path) same (point or position))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:08
S37	0	"10521968"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 15:54
S38	14	"521968"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:08
S39	4	((chang\$4 or arrang\$4 or alter\$4 or orient\$4 or adjustm\$5) same (animat\$4 near path) same (point or position)) and (boundar\$4 with (box or rectangle or square))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:10
S40	1	((chang\$4 or arrang\$4 or alter\$4 or orient\$4 or adjustm\$5) same (animat\$4 near path) same (point or position)) and (boundar\$4 with (box or rectangle or square))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:10
S41	6	((chang\$4 or arrang\$4 or alter\$4 or orient\$4 or adjustm\$5) and (animat\$4 near path) and (point or position)) and (boundar\$4 with (box or rectangle or square))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:13
S42	6	((animat\$4 near path) and (boundar\$4 with (box or rectangle or square)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:13

S43	1	((animat\$4 near path) same (boundar\$4 with (box or rectangle or square)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:13
S44	3	((animat\$4 near path) and (boundar\$4 adj (box or rectangle or square)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:15
S45	3	((animat\$4 near path) and (boundar\$4 adj (box or rectangle or square)) and (chang\$4 or arrang\$4 or alter\$4 or orient\$4 or adjustm\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:29
S46	19	((animat\$4 same path) and (boundar\$4 adj (box or rectangle or square)) and (chang\$4 or arrang\$4 or alter\$4 or orient\$4 or adjustm\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:24
S47	16	S46 not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:24
S48	0	((animation adj path) same ((schedul\$4 or normal) adj mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:34
S49	1	((animation adj path) and ((schedul\$4 or normal) adj mode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:36
S50	1	((animation adj path) and (play with (specifi\$4 or defin\$4) with (speed or pace)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:38
S51	1	((animation) same (play with (specifi\$4 or defin\$4) with (speed or pace) with (alone or "by itself" or independent\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:40
S52	0	((animation) and (play with (specifi\$4 or defin\$4) with (speed or pace) with (alone or independent\$4))) not S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:42
S53	2	((animation) and (play with (speed or pace) with (alone or independent\$4))) not S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:44

S54	65	((animation) and (play with (speed or pace) with (specif\$4 or defin\$4))) not S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:44
S55	18	((animation) same (play with (speed or pace) with (specif\$4 or defin\$4))) not S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:46
S56	47	S54 not S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:53
S57	0	(animat\$ with (mesh or polygon or shape or primitive) with (alone or independent\$4 or separat\$4) with (any or another or other)) same (speed or pace or progress\$4 or velocit\$4 or play)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:55
S58	0	(animat\$4) same ((mesh or polygon or shape or primitive) with (alone or independent\$4 or separat\$4) with (any or another or other)) same (speed or pace or progress\$4 or velocit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 16:56
S59	9	(animat\$4) and (((mesh or polygon or shape or primitive) with (alone or independent\$4 or separat\$4) with (any or another or other)) same (speed or pace or progress\$4 or velocit\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 17:11
S60	37	(animat\$4 near array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 17:12
S61	11	(animat\$4 adj array)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 17:12
S62	4	(animat\$4 adj array) with (object or mesh or polygon or shape or primitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 17:13
S63	9	(animat\$4 near array) with (object or mesh or polygon or shape or primitive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 17:36
S64	5	S63 not S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 17:14

S65	53	(animat\$4 with array with (object or mesh or polygon or shape or primitive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 17:23
S66	44	S65 not S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/30 17:22
S67	25	(array with (animat\$4 near (object or mesh or polygon or shape or primitive)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/01 15:25
S68	2197	(345/419).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/01 15:19
S69	12	(array adj (object or mesh or polygon or shape or primitive)) same animat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/01 15:42
S71	6	((stand-alone) with player) same animation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/01 16:52
S72	2	("6321244").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/01 15:51
S73	1	((("pipe" with animat\$4) same path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/01 17:04
S74	2	((("pipe" same fluid same animat\$4) same path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/01 17:04
S75	30	((("pipe" same fluid same animat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/01 17:27
S76	1119	(345/473).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/01 17:27

S77	3	("pipe" same fluid) and S76	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/01 17:32
S78	2	("6,266,053").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/01 17:32
S79	621	(default or ((post or pre) adj condition)) same (animat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/02 09:48
S80	95	(default or ((post or pre) adj condition)) same ((animat\$4) with (object or mesh or polygon or shape or primitive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/02 09:50
S81	1	(((post or pre) adj condition)) same ((animat\$4) with (object or mesh or polygon or shape or primitive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/02 09:51
S82	43	(((post or pre) adj condition)) and ((animat\$4) with (object or mesh or polygon or shape or primitive))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/02 09:55
S83	185	(((initializ\$3 or start or beign) and (terminat\$4 or end or stop)) same ((animat\$4) with (object or mesh or polygon or shape or primitive)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/02 10:03
S84	40	(((initializ\$3 or start or beign) and (terminat\$4 or end or stop)) same ((animat\$4) with (object or mesh or polygon or shape or primitive))) and (((initial\$4 or (pre adj condition)) or ((post adj condition) or end)) with (null or zero or "0"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/02 10:38
S85	2	("6061072"   "6115051").PN. OR ("6683613").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/02 10:26
S86	5	(((initializ\$3 or start or beign) and (terminat\$4 or end or stop)) same ((animat\$4) with (object or mesh or polygon or shape or primitive))) and (((initial\$4 or (pre adj condition)) or ((post adj condition) or end)) with (null or zero or "0")) and (bound\$4 near box)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/02 10:39
S88	1	(animat\$4 adj path) same (boundar\$4 adj (box or rectang\$4 or square)) same (position or orienta\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/05 15:27
S89	1	(animat\$4 adj path) same (boundar\$4 adj (box or rectang\$4 or square))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/05 15:27

S90	15	(animat\$4) same (boundar\$4 adj (box or rectang\$4 or square))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/05 15:27
S91	5	(animat\$4) same (boundar\$4 adj (box or rectang\$4 or square)) same (position or orient\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/05 15:27